ELSEVIER

Forest Ecology and Management 199 (2004) 461–462

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 199

VOLUME 199, ISSUE 1 **27 SEPTEMBER**

Regular articles

The effect of shelterwood harvesting and site preparation on eastern red-backed salamanders in white pine stands
A.E. Morneault, B.J. Naylor (North Bay, Canada), L.S. Schaeffer (Lima, Peru) and D.C. Othmer (North Bay, Canada) 1

Selection of diurnal roosts by red bats (*Lasiurus borealis*) in an intensively managed pine forest in Mississippi
L.W. Elmore (Mississippi State, MS, USA), D.A. Miller (Columbus, MS, USA) and F.J. Vilella (Mississippi State, MS, USA) ... 11

Uneven-aged and even-aged logging alter foliar phenolics of oak trees remaining in forested habitat matrix
R.E. Forkner and R.J. Marquis (St. Louis, MO, USA) 21

Reclamation of roads and landings with balsam poplar cuttings
A. DesRochers (Amos, Canada), B.R. Thomas (Boyle, Canada and Edmonton, Canada) and R. Butson (Boyle, Canada) 39

Grizzly bears and forestry. I. Selection of clearcuts by grizzly bears in west-central Alberta, Canada
S.E. Nielsen, M.S. Boyce (Edmonton, Canada) and G.B. Stenhouse (Hinton, Canada) 51

Grizzly bears and forestry. II. Distribution of grizzly bear foods in clear-cuts of west-central Alberta, Canada
S.E. Nielsen (Edmonton, Canada), R.H.M. Munro (Hinton, Canada), E.L. Bainbridge (Calgary, Canada), G.B. Stenhouse (Hinton, Canada) and M.S. Boyce (Edmonton, Canada) 67

Performance of sampling methods to estimate log characteristics for wildlife
L.J. Bate (Kalispell, MT, USA), T.R. Torgersen (Anacortes, WA, USA), M.J. Wisdom (La Grande, OR, USA) and E.O. Garton (Moscow, ID, USA) 83

Fuel loads, snag abundance and recruitment in an unmanaged Jeffrey pine–mixed conifer forest in Northwestern Mexico
S.L. Stephens (Berkeley, CA, USA) 103

Wood density of trees in open savannas of the Brazilian Amazon
R.I. Barbosa and P.M. Fearnside (Roraima, Brazil and Amazonas, Brazil) 115

Height dynamics of the thinning canopy of a tropical rain forest: 14 years of succession in a post-hurricane forest in Nicaragua
J. Vandermeer and I. Granzow de la Cerda (Ann Arbor, MI, USA) 125

Toward reference conditions: wildfire effects on flora in an old-growth ponderosa pine forest
D.C. Laughlin, J.D. Bakker, M.T. Stoddard, M.L. Daniels, J.D. Springer (Flagstaff, AZ, USA), C.N. Gildar (Flagstaff, AZ, USA and Dolores, CO, USA), A.M. Green (Flagstaff, AZ, USA and Fort Collins, CO, USA) and W. Wallace Covington (Flagstaff, AZ, USA) 137

Decline in tree-fern abundance after clearfell harvesting
K. Ough and A. Murphy (Heidelberg, Australia) 153

Short communication

Recorded storm damage in Swedish forests 1901–2000
C. Nilsson (Lund, Sweden), I. Stjernquist (Helsingborg, Sweden), L. Bärring (Lund, Sweden), P. Schlyter (Stockholm, Sweden), A.M. Jönsson (Lund, Sweden) and H. Samuelsson (Jönköping, Sweden) 165

Corrigendum

Corrigendum to "Genetic variation of *Eucalyptus globulus* in relation to autumn gum moth *Mnesampela privata* (Lepidoptera: Geometridae) oviposition preference" [For. Ecol. Manage. 194 (2004) 169–175]
L.P. Rapley, G.R. Allen and B.M. Potts (Tasmania, Australia) 175

doi:10.1016/S0378-1127(04)00614-0

VOLUME 199, ISSUES 2–3 **11 OCTOBER 2004**

Regular articles

Vertical distribution of fine root biomass of emergent *Nothofagus dombeyi* and its canopy associates in a Chilean temperate rainforest
M. Moreno-Chacón and C.H. Lusk (Casilla, Chile) 177
Growth patterns as indicators of impending tree death in silver fir
C. Bigler (Zurich, Switzerland), J. Gričar (Ljubljana, Slovenia), H. Bugmann (Zurich, Switzerland) and K. Čufar (Ljubljana, Slovenia) 183
Stand structure in eastside old-growth ponderosa pine forests of Oregon and northern California
A. Youngblood (LaGrande, OR, USA), T. Max (Portland, OR, USA) and K. Coe (LaGrande, OR, USA) 191
Effects of harvesting and deer browsing on attributes of understory plants in northern hardwood forests, Upper Michigan, USA
L.S. Kraft (Ann Arbor, MI, USA), T.R. Crow (Washington, DC, USA), D.S. Buckley (Knoxville, TN, USA), E.A. Nauertz (Rhinelander, WI, USA) and J.C. Zasada (Grand Rapids, MN, USA) 219
Growth response of *Pinus taeda* L. to herbicide, prescribed fire, and fertilizer
L.M. McInnis, B.P. Oswald, H.M. Williams, K.W. Farrish and D.R. Unger (Nacogdoches, TX, USA) 231
Growth equations and rotation ages of ten native tree species in mixed and pure plantations in the humid neotropics
B. Petit and F. Montagnini (New Haven, CT, USA) 243
Spatial and temporal patterns of beetles associated with coarse woody debris in managed bottomland hardwood forests
M.D. Ulyshen, J.L. Hanula, S. Horn (Athens, GA, USA), J.C. Kilgo (New Ellenton, SC, USA) and C.E. Moorman (Raleigh, NC, USA) 259
Effects of subsistence farming system on soil surface CO_2–C flux on Cofre de Perote volcano slopes, Veracruz (Mexico)
A. Campos C. (Xalapa, Mexico) 273
The application of a hierarchical, decision-support system to evaluate multi-objective forest management strategies: a case study in northeastern British Columbia, Canada
B. Seely, J. Nelson, R. Wells, B. Peter, M. Meitner, A. Anderson, H. Harshaw, S. Sheppard, F.L. Bunnell, H. Kimmins and D. Harrison (Vancouver, Canada) 283
Individual-tree diameter growth and mortality models for bottomland mixed-species hardwood stands in the lower Mississippi alluvial valley
D. Zhao (Aiken, SC, USA), B. Borders (Athens, GA, USA) and M. Wilson (Aiken, SC, USA) 307
Characteristics of snags containing excavated cavities in northern Arizona mixed-conifer and ponderosa pine forests
J.L. Ganey and S.C. Vojta (Flagstaff, AZ, USA) 323
Short-term response of songbirds to experimental thinning of young Douglas-fir forests in the Oregon Cascades
J. Hagar (Corvallis, OR, USA), S. Howlin (Cheyenne, WY, USA) and L. Ganio (Corvallis, OR, USA) 333
Succession and resilience in boreal mixedwood plant communities 15–16 years after silvicultural site preparation
S. Haeussler, P. Bartemucci (Smithers, Canada) and L. Bedford (Victoria, Canada) 349
Movements of female white-tailed deer (*Odocoileus virginianus*) in relation to timber harvests in the central Appalachians
T.A. Campbell, B.R. Laseter (Athens, GA, USA), W. Mark Ford (Parsons, WV, USA) and K.V. Miller (Athens, GA, USA) 371
Short-term response of secondary forests to hurricane disturbance in Puerto Rico, USA
J.B. Pascarella (Valdosta, GA, USA), T. Mitchell Aide and J.K. Zimmerman (San Juan, PR, USA) 379
Effects of high temperatures on fine roots of mature red pine (*Pinus resinosa*) trees
J.D. Zeleznik (Fargo, ND, USA) and D.I. Dickmann (East Lansing, MI, USA) 395
Above- and below-ground effects from alfalfa and marsh reedgrass on aspen seedlings
G.W. Powell and E.W. Bork (Edmonton, Canada) 411
Seedling establishment and regeneration of Korean red pine (*Pinus densiflora* S. et Z.) forests in Korea in relation to soil moisture
C.S. Lee, J.H. Kim (Seoul, South Korea), H. Yi (Corvallis, OR, USA) and Y.H. You (Seoul, South Korea) 423
Does clearfell, burn and sow silviculture mimic the effect of wildfire? A field study and review using litter beetles
S.C. Baker, A.M.M. Richardson, O.D. Seeman and L.A. Barmuta (Tasmania, Australia) 433
Floristic patterns and disturbance history in karri forest, south-western Australia. 1. Environment and species richness
G.W. Wardell-Johnson (Gatton, Australia), M.R. Williams, A.E. Mellican and A. Annells (Kensington, Australia) 449

Contents of *Forest Ecology and Management*, Volume 199 461